

drySTART™

Description:

A safe, low cost management tool for livestock, and the environment. drySTART™ is a combination of natural herbs and drying powders that helps in the absorption of liquid and helps reduce unpleasant odours.

Composition:

Mineral absorbents, natural drying activators and plant oils.

Potential Benefits:

- Improved drying of the environment
- Helps reduce ammonia levels
- Helps improve the overall environment for livestock and stockpersons

Handling and Storage:

Keep container closed and store in a cool, dry area for maximum stability. Avoid leaving container open for extended periods of time.

Cautions:

Do not mix with other products. Keep out of reach of children.

drySTART™ hygienic drying powder is intended to be used as part of a comprehensive livestock facility hygiene management program, including washing between groups and disinfecting. As with any product containing fine particles, proper personal protective equipment should be worn. Safety precautions should be taken in accordance to industry standard health and safety programs. See MSDS for additional details. Check with your local regulatory body in regards to acceptable dust levels.



For General Hygiene:

Spread drySTART on wet or damp areas at the rate of 50 to 100 g/m² (1 oz = 28.35 g; 10 ft² = 1 m²), weekly or as needed, to help improve the overall environment. The amount and frequency of use may be increased or decreased as required without risk.

For Swine:

Farrowing Sows, Dry Sows, Nursery and Grower/Finisher Units:

Apply drySTART at 100 to 150 g/m² after the room is cleaned, before filling with pigs. Repeat as required.

Farrowing Crates/Pen:

Continue using drySTART daily at 50 g/m² for the first 7 days after farrowing. Repeat as required.

For Dairy and Beef Cattle and Goats:

Stalls and Pens:

Apply drySTART at a rate of 100 g/m² on top of bedding. Repeat as required.

Maternity Pens, Growing Pens and Calf Hutches:

Apply drySTART before bedding at the rate of 150 g/m². Repeat weekly or as required.

For Poultry:

Apply when starting a new flock at the rate of 50 to 100 g/m² after the room is cleaned before filling. Apply additional drySTART around watering and feeding areas as required.



For Equine:

Apply drySTART weekly at the rate of 200 g/m² on floor or with bedding.

Livestock Transportation Trucks:

Apply drySTART at the rate of 150 g/m² after trucks are cleaned.

Packaging:

25 kg bags